

**Supplementary material 2. List of excluded studies with reasons**

Study	Reason for exclusion
Leggio L, Lee MR. Treatment of Alcohol Use Disorder in Patients with Alcoholic Liver Disease. <i>Am J Med.</i> 2017 Feb;130(2):124-134. doi: 10.1016/j.amjmed.2016.10.004. Epub 2016 Oct 29. PMID: 27984008; PMCID: PMC5263063.	Wrong population
Rittenberg A, Hines AL, Alvanzo AAH, Chander G. Correlates of alcohol use disorder pharmacotherapy receipt in medically insured patients. <i>Drug Alcohol Depend.</i> 2020 Sep 1;214:108174. doi: 10.1016/j.drugalcdep.2020.108174. Epub 2020 Jul 15. PMID: 32721788; PMCID: PMC8011546.	Wrong population
Rombouts SA, Baillie A, Haber PS, Morley KC. Clinical Predictors of Response to Baclofen in the Treatment of Alcohol use Disorder: Results from the BacALDTrial. <i>Alcohol Alcohol.</i> 2019 May 1;54(3):272-278. doi: 10.1093/alcalc/agz026. PMID: 30977770.	Duplicate population
Morley KC, Baillie A, Fraser I, Furneaux-Bate A, Dore G, Roberts M, Abdalla A, Phung N, Haber PS. Baclofen in the treatment of alcohol dependence with or without liver disease: multisite, randomised, double-blind, placebo-controlled trial. <i>Br J Psychiatry.</i> 2018 Jun;212(6):362-369. doi: 10.1192/bjp.2018.13. Epub 2018 May 2. PMID: 29716670.	Duplicate population